

Doc. no. 1SAA93201

Rev. ind. 1

Date 2002-03-04

From Karl-Peter Tschuschke

Dept. DESTO/LN3
Phone +49 6221 701-463
Fax +49 6221 701-547

E-mail karl-peter.tschuschke@de.abb.com

Environmental Information

The purpose of this document is to provide environmental information requested in the procedure for Industrial ^{IT} Enabled level 0.

Product name	Miniature Circuit Breaker
	MCB S201/ S202/ S203/ S204 B/C/K/Z/D/Na
ABB Identity number	GHS 201 xxxxRxxxx
	GHS 202 xxxxRxxxx
	GHS 203 xxxxRxxxx
	GHS 204 xxxxRxxxx
Information provided by	Karl - Peter Tschuschke
(Name and e-mail address)	karl-peter.tschuschke@de.abb.com
Business area	Low Voltage Products – ATLV
Date	March 2002

1 Related documents

Industrial IT Architecture - Introduction and Definitions, 3BSE023904

Industrial IT Certification Overview, 3BSE023905

Industrial ^{IT} Certification Guideline, 3BSE024526

Industrial IT Enabled Level 0 - Information, Introduction and Definitions, 3BSE025934

Ref documents:

http://inside.abb.com/The Insider/Featured Portals/Industrial IT Deployment/06 Product Certification/Document Library

Doc. no. 1SAA932.-....

Rev. ind.

Date 2002-03-04

2 Environmental Information

2.1 Content of hazardous materials

Declare the presence of hazardous materials in the product. Printed circuit boards are declared separately under 2.1.1 and should be excluded from the declaration in the table below.

Material	Example application	Yes	No	Quantity/unit Optional (1)
Lead	Cables		✓	
Cadmium	Batteries, switches, additive in lead		✓	
Mercury	Batteries, switches		✓	
Beryllium	Contact springs		✓	
Brominated flame retardants, e.g: PBB, PBDE, TBBPA	Additive in plastics or rubber		*	
HCFCs, e.g: R 22, R 123, R 141b	Cooling media		✓	
SF6, sulphurhexafluoride	Breakers		✓	
Polyvinyl chloride, PVC	Cables		✓	

⁽¹⁾ Strive to declare the quantity. This is optional, however, since it is today sometimes difficult to retrieve such information, especially regarding supplied components.

2.1.1Printed circuit boards

Specify the amount of	printed	circuit	boards	used in	the	product by	/ declaring	the	total
board surface:									

< 1	1 d	lπ	٦²
_	ıv		

 \Box 1-10 dm²

 \Box > 10 dm²

✓ No printed circuit boards used in the product

Doc. no.	1SAA932
Rev. ind.	
Date	2002-03-04

Ω		رم ما :ا م م	:£	
Z.Z	Recy	/Cling	Intori	mation

	Is rec	ycling in	formation for the product available?
		Yes	Ref. Document:
	\checkmark	No	
		please ial is pre	specify, in the table below, the component/part/physical position where the esent:
Material			Component/part/physical position
Lead			
Cadmium			
Mercury			
Beryllium			
Brominated flam	e retarda	ants	
HCFCs			
SF6, sulphurhex		9	
Polyvinyl chlorid	e, PVC		
2.3 Energ	J J		d/or losses during the operation of the product and/or losses during operation of the product specified in the product
		nentatio	
	\checkmark	Yes	Ref. Document: Product data sheet
		No	
		Not re	elevant